

[Back](#)
[?](#)

Certification No		Certifier	Applicant	Equipment Class	Description
: ESV150413		: ESV	: ADM Instrument Engineering	: Level 3 - Power Supply or Charger	: Indepeent LED control gear - constant voltage type
Certified Date: 03/07/2015:		Expiry Date 03/07/2020		Standard: IEC 61347.2.13:2013	
Certification Conditions: Intended for fixed wiring or built-in.					

Profiles

Model	Trade Name	Profile		
NPF-40-12, NPF-40D-12, PWM-40-12	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs 12VDC, 3.34A
Comments				
NPF-40-15, NPF-40D-15	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs 15VDC, 2.67A
Comments				
NPF-40-20, NPF-40D-20	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs 20VDC, 2.0A

		Comments			
NPF-40-24, NPF-40D-24, PWM-40-24	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	24VDC, 1.67A
		Comments			
NPF-40-30, NPF-40D-30	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	30VDC, 1.34A
		Comments			
NPF-40-36, NPF-40D-36, PWM-40-36	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	36VDC, 1.12A
		Comments			
NPF-40-42, NPF-40D-42	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	42VDC, 0.96A
		Comments			
NPF-40-48, NPF-40D-48, PWM-40-48	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	48VDC, 0.84A
		Comments			
NPF-40-54,	Meanwell	Inputs	100-240V~, 0.6A, 50/60Hz	Outputs	54VDC, 0.76A

NPF-
40D-
54**Comments**NPF-
60-12,
NPF-
60D-
12,
PWM-
60-12

Meanwell

Inputs100-240V~, 0.8A,
50/60Hz**Outputs**

12VDC, 5.0A

CommentsNPF-
60-15,
NPF-
60D-
15

Meanwell

Inputs100-240V~, 0.8A,
50/60Hz**Outputs**

15VDC, 4.0A

CommentsNPF-
60-20,
NPF-
60D-
20

Meanwell

Inputs100-240V~, 0.8A,
50/60Hz**Outputs**

20VDC, 3.0A

CommentsNPF-
60-24,
NPF-
60D-
24,
PWM-
60-24

Meanwell

Inputs100-240V~, 0.8A,
50/60Hz**Outputs**

24VDC, 2.5A

CommentsNPF-
60-30,
NPF-
60D-
30

Meanwell

Inputs100-240V~, 0.8A,
50/60Hz**Outputs**

30VDC, 2.0A

Comments

NPF-60-36, NPF-60D-36, PWM-60-36	Meanwell	Inputs	100-240V~, 0.8A, 50/60Hz	Outputs	36VDC, 1.67A
--	----------	---------------	-----------------------------	----------------	--------------

Comments

NPF-60-42, NPF-60D-42	Meanwell	Inputs	100-240V~, 0.8A, 50/60Hz	Outputs	42VDC, 1.43A
--------------------------	----------	---------------	-----------------------------	----------------	--------------

Comments

NPF-60-48, NPF-60D-48, PWM-60-48	Meanwell	Inputs	100-240V~, 0.8A, 50/60Hz	Outputs	48VDC, 1.25A
--	----------	---------------	-----------------------------	----------------	--------------

Comments

NPF-60-54, NPF-60D-54	Meanwell	Inputs	100-240V~, 0.8A, 50/60Hz	Outputs	54VDC, 1.12A
--------------------------	----------	---------------	-----------------------------	----------------	--------------

Comments

Version 1.4 Last Updated: 3 July, 2009

© Copyright State of Victoria | [Disclaimer](#) | [Privacy Statement](#) | [State Government of Victoria Home](#) |